

Project Name: TRIGGER LAG_ROCUDG_20140413

Workgroup: ES1508486

Published Date: 27-Apr-2015

Licensee: Murrumbidgee Irrigation

Sampled Date: 13-Apr-2015

EPL No. 4651

Location	Asset ID	Analyte	Data	Units	Notify Level	Action Level	ID
ROCUDG		Nitrite + Nitrate as N	0.02	mg/L	-	-	18471
ROCUDG		Total Kjeldahl Nitrogen as N	0.8	mg/L	-	-	18472
ROCUDG		Total Nitrogen as N	0.8	mg/L	-	-	18473
ROCUDG		Total Phosphorus as P	0.06	mg/L	-	-	18474
ROCUDG		Aldrin	<0.010	µg/L	-	-	18475
ROCUDG		alpha-BHC	<0.010	µg/L	-	-	18476
ROCUDG		beta-BHC	<0.010	µg/L	-	-	18477
ROCUDG		delta-BHC	<0.010	µg/L	-	-	18478
ROCUDG		4.4`-DDD	<0.010	µg/L	-	-	18479
ROCUDG		4.4`-DDE	<0.010	µg/L	-	-	18480
ROCUDG		4.4`-DDT	<0.010	µg/L	-	-	18481
ROCUDG		Sum of DDD + DDE + DDT	<0.010	µg/L	-	-	18482
ROCUDG		Dieldrin	<0.010	µg/L	-	-	18483
ROCUDG		alpha-Endosulfan	<0.010	µg/L	-	-	18484
ROCUDG		beta-Endosulfan	<0.010	µg/L	-	-	18485
ROCUDG		Endosulfan sulfate	<0.010	µg/L	0.0300	0.2000	18486
ROCUDG		Endosulfan (sum)	<0.010	µg/L	-	-	18487
ROCUDG		Endrin	<0.010	µg/L	-	-	18488
ROCUDG		Endrin aldehyde	<0.010	µg/L	-	-	18489
ROCUDG		Endrin ketone	<0.010	µg/L	-	-	18490
ROCUDG		Heptachlor	<0.005	µg/L	-	-	18491
ROCUDG		Heptachlor epoxide	<0.010	µg/L	-	-	18492
ROCUDG		Hexachlorobenzene (HCB)	<0.010	µg/L	-	-	18493
ROCUDG		gamma-BHC	<0.010	µg/L	-	-	18494
ROCUDG		Methoxychlor	<0.010	µg/L	-	-	18495
ROCUDG		cis-Chlordane	<0.010	µg/L	-	-	18496
ROCUDG		trans-Chlordane	<0.010	µg/L	-	-	18497
ROCUDG		Total Chlordane (sum)	<0.010	µg/L	-	-	18498
ROCUDG		Oxychlordane	<0.010	µg/L	-	-	18499
ROCUDG		Sum of Aldrin + Dieldrin	<0.010	µg/L	-	-	18500
ROCUDG		Simazine	<0.005	µg/L	3.2000	11.0000	18502
ROCUDG		Diuron	<0.005	µg/L	1.0000	5.0000	18503
ROCUDG		Atrazine	<0.005	µg/L	13.0000	45.0000	18504
ROCUDG		Molinate	<0.005	µg/L	3.4000	14.0000	18505
ROCUDG		Metolachlor	<0.005	µg/L	0.0200	0.1000	18506
ROCUDG		Malathion	<0.002	µg/L	0.0500	0.2000	18507
ROCUDG		Diazinon	<0.005	µg/L	0.0100	0.2000	18508
ROCUDG		Thiobencarb	<0.005	µg/L	2.8000	4.6000	18509
ROCUDG		Chlorpyrifos	<0.005	µg/L	0.0100	0.1100	18510
ROCUDG		Trifluralin	<0.010	µg/L	2.6000	4.4000	18511
Field Measurements							
ROCUDG		Electrical Conductivity	169.6	Cond µS/cm			
ROCUDG		Turbidity	37.09	NTU			
ROCUDG		pH	8.02	PH			
ROCUDG		Temp	18.71	Temp °C			

Legend

XX	Notification Level
----	--------------------

XX

Action Level