

Project Name: TRIGGER LAG_ROCUDG_20140413_20150408

Workgroup: ES1508486

Published Date: 27-Apr-2015

Licensee: Murrumbidgee Irrigation

Sampled Date: 8-Apr-2015

EPL No. 4651

Location	Asset ID	Analyte	Data	Units	Notify Level	Action Level	ID
ROCUDG		Nitrite + Nitrate as N	0.03	mg/L	-	-	18521
ROCUDG		Total Kjeldahl Nitrogen as N	0.9	mg/L	-	-	18522
ROCUDG		Total Nitrogen as N	0.9	mg/L	-	-	18523
ROCUDG		Total Phosphorus as P	0.08	mg/L	-	-	18524
ROCUDG		Aldrin	<0.010	µg/L	-	-	18525
ROCUDG		alpha-BHC	<0.010	µg/L	-	-	18526
ROCUDG		beta-BHC	<0.010	µg/L	-	-	18527
ROCUDG		delta-BHC	<0.010	µg/L	-	-	18528
ROCUDG		4.4`-DDD	<0.010	µg/L	-	-	18529
ROCUDG		4.4`-DDE	<0.010	µg/L	-	-	18530
ROCUDG		4.4`-DDT	<0.010	µg/L	-	-	18531
ROCUDG		Sum of DDD + DDE + DDT	<0.010	µg/L	-	-	18532
ROCUDG		Dieldrin	<0.010	µg/L	-	-	18533
ROCUDG		alpha-Endosulfan	<0.010	µg/L	-	-	18534
ROCUDG		beta-Endosulfan	<0.010	µg/L	-	-	18535
ROCUDG		Endosulfan sulfate	<0.010	µg/L	0.0300	0.2000	18536
ROCUDG		Endosulfan (sum)	<0.010	µg/L	-	-	18537
ROCUDG		Endrin	<0.010	µg/L	-	-	18538
ROCUDG		Endrin aldehyde	<0.010	µg/L	-	-	18539
ROCUDG		Endrin ketone	<0.010	µg/L	-	-	18540
ROCUDG		Heptachlor	<0.005	µg/L	-	-	18541
ROCUDG		Heptachlor epoxide	<0.010	µg/L	-	-	18542
ROCUDG		Hexachlorobenzene (HCB)	<0.010	µg/L	-	-	18543
ROCUDG		gamma-BHC	<0.010	µg/L	-	-	18544
ROCUDG		Methoxychlor	<0.010	µg/L	-	-	18545
ROCUDG		cis-Chlordane	<0.010	µg/L	-	-	18546
ROCUDG		trans-Chlordane	<0.010	µg/L	-	-	18547
ROCUDG		Total Chlordane (sum)	<0.010	µg/L	-	-	18548
ROCUDG		Oxychlordane	<0.010	µg/L	-	-	18549
ROCUDG		Sum of Aldrin + Dieldrin	<0.010	µg/L	-	-	18550
ROCUDG		Simazine	0.008	µg/L	3.2000	11.0000	18552
ROCUDG		Diuron	0.020	µg/L	1.0000	5.0000	18553
ROCUDG		Atrazine	<0.005	µg/L	13.0000	45.0000	18554
ROCUDG		Molinate	<0.005	µg/L	3.4000	14.0000	18555
ROCUDG		Metolachlor	<0.005	µg/L	0.0200	0.1000	18556
ROCUDG		Malathion	<0.002	µg/L	0.0500	0.2000	18557
ROCUDG		Diazinon	<0.005	µg/L	0.0100	0.2000	18558
ROCUDG		Thiobencarb	<0.005	µg/L	2.8000	4.6000	18559
ROCUDG		Chlorpyrifos	<0.005	µg/L	0.0100	0.1100	18560
ROCUDG		Trifluralin	<0.010	µg/L	2.6000	4.4000	18561

Field Measurements

ROCUDG		Electrical Conductivity	155.6	Cond µS/cm			
ROCUDG		Turbidity	82.02	NTU			
ROCUDG		pH	8.92	PH			
ROCUDG		Temp	15.20	Temp °C			

Legend

XX	Notification Level
XX	Action Level